

Mubhavarapu srinivasa Babu, slovenkateswara Rao,

For Whom: self

Affidavit² Vijayawada.

Valid upto 31-12-2021 #12-66/3, Ferry Road, Ibrahimpatnam-521 456 Cell 9 2 9 0 8 5 1 5 9 7

I, M. Srinivasa Babu, Secretary of Swarna Academy of Sciences, Vijayawada, son of Sri. M. Venkateswara Rao, aged 50 years and, resident of Door No: 29-19-68, Dornakal Road, Suryaraopet, Vanyawada and I, M. Srinivasa Babu, Chairman of MVR College of Engineering and Technology, Paritala, Vijayawada, Son of Sri M. Venkateswara Rao, aged 50 years and, resident of Door No: 29-19-68 Dornakal Road, Suryaraopet, Viayawada.

Insconnection with our application dated 24/04/2021 made to AICTE for Extension of approval to the Existing Technical Institution.

Do Here by solemnly affirm and declare as under:

- 1. That the information given by M. Srinivasa Babu, Chairman, M.V.R. College of Engineering & Technology in the application made to AICTE is true and complete. Nothing is false and no material has been concealed.
- 2. That the Institution is functioning in the location as approved by the council;
- 3. That the Institution has uploaded the Occupancy/ Completion Certificate/ Building License/ Form D issued by the Competent Authority and the Structural Stability Certificate by the Competent Authority;
 - That the Trust/ Society/ Company runs the following other Institutions in the same Campus; Total Built-Up Area available

Me Institution | Programmes/Courses offered | Built-Up Area | Approved by AICTE or Not -NA-

- 5. That the Institution has uploaded valid Fire Safety Certificate issued by the Competent Authority;
- 6. That Dr.B.Suresh Babu, Principal of the Institution is regular and qualified as per AICTE
- 7. That the Faculty norms as well as Faculty: Student ratio is maintained as per Approval Process Handbook and the Faculty data uploaded is true and complete;
- 8. That the Institution has fulfilled the norms for Faculty and Infrastructural facilities for Reinstatement of "Reduction in Intake";
- 9. That the Promoter/ Institution has not demanded/ retained the Original Degree Certificates from the Faculty members;
- 10. That the declaration, information and documents submitted/ uploaded as per Appendix 16/17 of the Approval Process Handbook with regard to Land, Built-up area (Instructional area, Administrative area and Amenities area) and other Infrastructure therein where the letter of approval/ Extension of Approval is sought for M.V.R. College of Engineering & Technology is true, complete and nothing is false;
- 11. That the Land is contiguous, there is no dispute pertaining to the said Land and is free from all encumbrances;
- 12. That if any of the information is found to be false, incomplete, misleading and/ or that the Mr. M. Srinivasa Babu fail(s) to disclose all the information and/ or suppress any information and/ or misrepresent the information, the Council shall also be free to take any action, including Withdrawal of Approval and/ or any other action as deemed fit against the Mr. M. Srinivasa Babu and others as the case may be and/ or the individuals associated with the Trust/ Society/ Company and/ or the Institution;
- 13. That the Land/Built-up area details given below in the Table are true and complete;

| Sl.No. | Name of the Deed Holder | Document No. | Date of Registration | Plot No. | Address (Village) Dist | Area in acres | |
|--------|-------------------------|--------------|----------------------|----------|------------------------|---------------|--|
| 1 | | 6427 | 12-10-2007 | 771/4B | Paritala, Krishna Dt. | 1.00 | |
| 2 | | 6428 | 12-10-2007 | 771/4B | Paritala, Krishna Dt. | 2.29 | |
| 3 | 10 m | 6429 | 12-10-2007 | 771/4B | Paritala, Krishna Dt. | 7.50 | |
| | WA. | | Total area in acres | | | | |

Instructional Area

lagd. No. 1 0823

| | Room No. | Room type (mention Class Room/ Laboratory/ Toilet, etc.) | Carpet area (in m2) | Completion of Flooring | Completion of Walls and painting | Completion of Electrification and lighting |
|-----------------|-------------|-------------------------------------------------------------------|---------------------|------------------------|----------------------------------|--------------------------------------------|
| 1. | 101A | Laboratory | 66.00 | Ready | Ready | Ready |
| 2. | 101B | Laboratory | 66.00 | Ready | Ready | Ready |
| 3. | 102A | Laboratory | 66.00 | Ready | Ready | Ready |
| 4. | 102B | Laboratory | 66.00 | Ready | Ready | Ready |
| 5. | 110 | Laboratory | 99.00 | Ready | Ready | Ready |
| 6. | 111 | Seminar Hall | 165.00 | Ready | Ready | Ready |
| 7. | 113 | Laboratory | 66.00 | Ready | Ready | Ready |
| 8 | 114 | Laboratory | 99.00 | Ready | Ready | Ready |
| 14 | 115 | Laboratory | 66.00 | Ready | Ready | Ready |
| SADIO | 116 | Laboratory | 66.00 | Ready | Ready | Ready |
| WADAL'S | 119A | Laboratory | 99.00 | Ready | Ready | Ready |
| na Dist., 1429. | 110B | Laboratory | 99.00 | Ready | Ready | Ready |

Hewww w

| 13. | 123 | Laboratory | 66.00 | Ready | Ready | Ready |
|-----------|-----------|---------------------|--------|-------|-------|-------|
| 14. | 124 | Laboratory | 66.00 | Ready | Ready | Ready |
| 15. | 125 | Laboratory | 66.00 | Ready | Ready | Ready |
| 16. | 201 | Class Room | 84.28 | Ready | Ready | Ready |
| 17. | 202 | Tutorial Room | 42.14 | Ready | Ready | Ready |
| 18. | 203 | Class Room | 84.28 | Ready | Ready | Ready |
| 19. | 204 | Tutorial Room | 42.14 | Ready | Ready | Ready |
| 20. | 210 | Laboratory | 66.00 | Ready | Ready | Ready |
| 21. | 211A | Laboratory | 66.00 | Ready | Ready | Ready |
| 22. | 211B | Laboratory | 66.00 | Ready | Ready | Ready |
| 23. | 215A | Laboratory | 66.00 | Ready | Ready | Ready |
| 24. | 215B | Laboratory | 66.00 | Ready | Ready | Ready |
| 25. | 216 | Laboratory | 66.00 | Ready | Ready | Ready |
| 26. | 217 | Class Room | 33.00 | Ready | Ready | Ready |
| 27. | 218 | Class Room | 66.00 | Ready | Ready | Ready |
| 28. | 219 | Class Room | 33.00 | Ready | Ready | Ready |
| 29. | 220 | Class Room | 66.00 | Ready | Ready | Ready |
| 30. | 221 | Tutorial Room | 33.00 | Ready | Ready | Ready |
| 31. | 222 | Class Room | 66.00 | Ready | Ready | Ready |
| 32. | 223 | Tutorial Room | 33.00 | Ready | Ready | Ready |
| 33. | 224 | Class Room | 66.00 | Ready | Ready | Ready |
| 34. | 225 | Class Room | 66.00 | Ready | Ready | Ready |
| 35. | 227 | Class Room | 66.00 | Ready | Ready | Ready |
| 36. | 230A | Laboratory | 66.00 | Ready | Ready | Ready |
| 37. | 230B | Laboratory | 66.00 | Ready | Ready | Ready |
| 38. | 231 | Seminar Hall | 132 | Ready | Ready | Ready |
| 39. | 301 | Class Room | 84.28 | Ready | Ready | Ready |
| 40. | 302 | Class Room | 42.14 | Ready | Ready | Ready |
| 41. | 303 | Class Room | 84.28 | Ready | Ready | Ready |
| 42. | 304 | Class Room | 42.14 | Ready | Ready | Ready |
| 43. | 305 | Class Room | 84.28 | Ready | Ready | Ready |
| 44. | 306 | Class Room | 42.14 | Ready | Ready | Ready |
| 45. | 308 | Tutorial Room | 33.00 | Ready | Ready | Ready |
| 46. | 309 | Class Room | 66.00 | Ready | Ready | Ready |
| 47. | 310 | Tutorial Room | 33.00 | Ready | Ready | Ready |
| 48. | 311 | Class Room | 66.00 | Ready | Ready | Ready |
| 49. | 312 | Class Room | 33.00 | Ready | Ready | Ready |
| 50. | 313 | Class Room | 66.00 | Ready | Ready | Ready |
| 51. | 318A | Laboratory | 132.00 | Ready | Ready | Ready |
| 52. | 320 | Class Room | 33.00 | Ready | Ready | Ready |
| 53. | 321 | Research Laboratory | 66.00 | Ready | Ready | Ready |
| 54. | 322 | Tutorial Room | 33.00 | Ready | Ready | Ready |
| 55. | 323 | Drawing Hall | 66.00 | Ready | Ready | Ready |
| 56. | 324 | Tutorial Room | 33.00 | Ready | Ready | Ready |
| 57 | A A | Class Room | 66.00 | Ready | Ready | Ready |
| SAG | 0 | Class Room | 66.00 | | | |
| 50 | 387 | Class Room | 33.00 | Ready | Ready | Ready |
| THE PLANE | ADA-2 354 | ICIASS NOUTT | 33.00 | Ready | Ready | Ready |

| 60. | 328 | Drawing Hall | 66.00 | Ready | Ready | Ready |
|------|------|--------------------------|--------|-------|-------|---------|
| 61. | 329 | Class Room | 33.00 | Ready | Ready | Ready |
| 62. | 330 | Class Room | 66.00 | Ready | Ready | Ready |
| 63. | 331 | Class Room | 33.00 | Ready | Ready | Ready |
| 64. | 332 | Class Room | 66.00 | Ready | Ready | Ready |
| 65. | 333 | Class Room | 33.00 | Ready | Ready | Ready |
| 66. | 334 | Class Room | 66.00 | Ready | Ready | Ready |
| 67. | 338 | Laboratory | 105.38 | Ready | Ready | Ready |
| | 339 | Class Room | 84.28 | Ready | Ready | Ready |
| 68. | 340 | Class Room | 84.28 | Ready | Ready | Ready |
| 69. | | Laboratory | 66.00 | Ready | Ready | Ready |
| 70: | 402A | Laboratory | 66.00 | Ready | Ready | Ready |
| 71. | 402B | Laboratory | 66.00 | Ready | Ready | Ready |
| 72. | 403A | | 66.00 | Ready | Ready | Ready |
| 73. | 403B | Drawing Hall | 165.00 | Ready | Ready | Ready |
| 74. | 405 | Class Room | 33.00 | Ready | Ready | Ready |
| 75. | 407 | | 66.00 | Ready | Ready | Ready |
| 76. | 408 | Laboratory Tutorial Room | 33.00 | Ready | Ready | Ready |
| 77. | 409 | | 33.00 | Ready | Ready | Ready |
| 78. | 410 | Tutorial Room | 90.75 | Ready | Ready | Ready |
| 79. | 411 | Laboratory | 74.25 | Ready | Ready | Ready 🥖 |
| 80. | 412 | Laboratory | 165.00 | Ready | Ready | Ready |
| 81. | 413A | Laboratory | 66.00 | Ready | Ready | Ready |
| 82. | 415 | Class Room | 66.00 | Ready | Ready | Ready |
| 83. | 416 | Class Room | 66.00 | Ready | Ready | Ready |
| 84. | 417 | Class Room | 66.00 | Ready | Ready | Ready |
| 85. | 418 | Class Room | | | Ready | Ready |
| 86. | 419 | Class Room | 66.00 | Ready | Ready | Ready |
| 87. | 420 | Class Room | 66.00 | Ready | Ready | Ready |
| 88. | 421 | Laboratory | 66.00 | Ready | | Ready |
| 89. | 422 | Laboratory | 66.00 | Ready | Ready | Ready |
| 90. | 423 | Laboratory | 99.00 | Ready | Ready | Ready |
| 91. | 425 | Laboratory | 66.00 | Ready | Ready | Ready |
| 92. | 426 | Laboratory | 66.00 | Ready | Ready | Ready |
| 93. | 429 | Class Room | 105.35 | Ready | Ready | Ready |
| 94. | 430 | Class Room | 105.35 | Ready | Ready | |
| 95. | 431 | Class Room | 84.28 | Ready | Ready | Ready |
| 96. | 432 | Tutorial Room | 42.14 | Ready | Ready | Ready |
| 97. | 433 | Tutorial Room | 42.14 | Ready | Ready | Ready |
| 98. | S1 | Work Shop | 213.00 | Ready | Ready | Ready |
| 99. | 52 | Additional Work Shop | 213.00 | Ready | Ready | Ready |
| 100. | 53 | Workshop | 204 | Ready | Ready | Ready |
| | | nstructional Area | 7195.3 | | | |

Instructional Common Area: Completion of Completion of Completion Carpet Room Type (mention walls and electrification of flooring area Sq.m and lighting assroom / lab / toilet, etc.) painting Ready Ready Library & Reading Room 512.00 Ready

Krishna Dial., A.P. Regd. No. 10823 Expiry D1: 22-12-2024



| 207 | Computer center-1 | 150.00 | Ready | Ready | Ready |
|--------------------------|---------------------------|---------------------------|-------|-------|-------|
| 208 | Computer center-2 | 150.00 | Ready | Ready | Ready |
| 212 | Library & Reading Room | 165.00 | Ready | Ready | Ready |
| 316A | Language Laboratory | 66.00 | Ready | Ready | Ready |
| 316B Language Laboratory | | Language Laboratory 66.00 | Ready | Ready | Ready |
| Total I | Instructional Common Area | 1109.00 | | | |

Administrative Area:

| | Room No. | Room Type (mention classroom / lab / toilet, etc.) | Carpet area Sg.m | Completion of flooring | Completion of walls and painting | Completion of electrification and lighting |
|-----|----------|----------------------------------------------------|------------------------|------------------------|----------------------------------|--------------------------------------------|
| 1. | 103 | Office all inclusive | 126.42 | Ready | Ready | Ready |
| 2. | 104 | Store Room | 16.65 | Ready | Ready | Ready |
| 3. | 105 | Board Room | 33.00 | Ready | Ready | Ready |
| 4. | 106 | Office all inclusive | 132.00 | Ready | Ready | Ready |
| 5. | 107 | Principal Room | 99.00 | Ready | Ready | Ready |
| 6. | 108A | Exam Cell | 54.00 | Ready | Ready | Ready |
| 7. | 108B | Office all inclusive | 45.00 | Ready | Ready | Ready |
| 8. | 109A | T & P Cell | 33.00 | Ready | Ready | Ready |
| 9. | 109B | Staff Cabins | 66.00 | Ready | Ready | Ready |
| 10. | 117 | Maintenance Room-1 | 10.00 | Ready | Ready | Ready |
| 11. | 118 | Maintenance Room-2 | 10.00 | Ready | Ready | Ready |
| 12. | 120 | Staff Pantry Room | 20.00 | Ready | Ready | Ready |
| 13. | 121 | Central Stores | 16.65 | Ready | Ready | Ready |
| 14. | 122 | Central Stores | 19.80 | Ready | Ready | Ready |
| 15. | 205 | Staff Cabins | 84.28 | Ready | Ready | Ready |
| 16. | 206 | H.O.D Cabin | 58.79 | Ready | Ready | Ready |
| 17. | 213 | Staff Cabins | 66.00 | Ready | Ready | Ready |
| 18. | 226 | Staff Cabins | 66.00 | Ready | Ready | Ready |
| 19. | 228 | H.O.D Cabin | 33.00 | Ready | Ready | Ready |
| 20. | 307 | H.O.D Cabin | 16.65 | Ready | Ready | Ready |
| 21. | 316C | Staff Cabins | 33.00 | Ready | Ready | Ready |
| 22. | 318B | Staff Cabins | 33.00 | Ready | Ready | Ready |
| 23. | 337 | Staff Cabins | 122.00 | Ready | Ready | Ready |
| 24. | 406 | H.O.D Cabin | 33.00 | Ready | Ready | Ready |
| 25. | 413B | Staff Cabins | 33.00 | Ready | Ready | Ready |
| 26. | 424 | H.O.D Cabin | 33.00 | Ready | Ready | Ready |
| 27. | 428 | House Keeping | 16.65 | Ready | Ready | Ready |
| 28. | SR | Security Room | 15.96 | Ready | Ready | Ready |
| | Total A | Administrative Area | 1325.85 | | | |

Amenities Area:

| Amemics | | | | | | | | |
|----------|--------------------------------------------------|---------------------|------------------------|----------------------------------|--------------------------------------------|--|--|--|
| Room No. | Room Type (mention classroom/ lab/ toilet, etc.) | Carpet area Sq.m | Completion of flooring | Completion of walls and painting | Completion of electrification and lighting | | | |
| 42 | Stationary Store | 10.00 | Ready | Ready | Ready | | | |
| 120 | Cafeteria | 265.60 | Ready | Ready | Ready | | | |

Humin

| 209 | Girls Common Room | 66.00 | Ready | Ready | Ready |
|----------|-------------------------|---------|----------|-------|-------|
| 214 | Toilets | 33.00 | Ready | Ready | Ready |
| 229 | NSS Cell | 16.65 | Ready | Ready | Ready |
| 314 | First Aid cum Sick Room | 33.00 | Ready | Ready | Ready |
| 315 | Toilets | 33.00 | Ready | Ready | Ready |
| 317 | Girls Common Room | 33.00 | Ready | Ready | Ready |
| 319 | Toilets | 33.00 | Ready | Ready | Ready |
| 335 | Girls Common Room | 33.00 | Ready | Ready | Ready |
| 336 | Toilets | 33.00 | Ready | Ready | Ready |
| 401 | Boys Common Room | 126.42 | Ready | Ready | Ready |
| 404 | Women's Grievance Cell | 16.65 | Ready | Ready | Ready |
| 414 | Toilets | 33.00 | Ready | Ready | Ready |
| 427 | Toilets | 33.00 | Ready | Ready | Ready |
| OS 1 & 2 | Toilets | 409.53 | Ready | Ready | Ready |
| SC1 | Stationary Store | 10.00 | Ready/ / | Ready | Ready |
| | otal Amenities Area | 1217.85 | | | |

Circulation Area:

| Area Type | Average Carpet Area | Flooring | Painting Done | Sanitary Fittings Done | Electrification & Lighting |
|------------------------|------------------------|----------|------------------|------------------------|----------------------------|
| Entrance Lobby | 132.00 | Yes | Ready | Ready | Ready |
| Staircase | 306.60 | Yes | Ready | Ready | Ready |
| Walk Way | 3120.23 | Yes | Ready | Ready | Ready |
| Total Circulation Area | 3558.83 | | | | |

- 14. That I have submitted/ uploaded all the additional documents/ information regarding resolution/ NOC's/ Certificates/ details of Building completion (partial/full) in AICTE Web-Portal in respect of our application (as applicable) and the same is true and complete;
- 15. That I have uploaded the details of faculties, Administrative and support Staff and also have uploaded the latest salary sheet with details such as pay scale, gross pay, PF deduction and TDS, the same is true and complete;
- 16. That I have uploaded all the student data of the previous year and the same is true and complete;
- 17. That no students have been admitted without the approval of concerned regulatory bodies
- 18. That the financial transactions have been done only by digital payment;
- 19. That the declaration, information and documents pertaining to the availability of Faculty and adhering to the timing for Second Shift (if applicable) is true and complete. Nothing is false and no information/material has been concealed;
- 20. That liabilities, if any, arise out of the Conversion of Women's Institution into Co-ed Institution and vice-versa/ Conversion of Diploma Level into Degree Level Institution shall solely be that of Swarna Academy of Science;
- 21. That liabilities, if any, arise out of Change of Site/ Location shall solely be that of Swarna Academy of Science;
- 22. That liabilities if any, arise out of Change in the Name of the Course(s)/ Merger of the Courses/ Reduction in Intake/ Closure of Programme(s)/ Course(s)/ Change of affiliating University/ Board shall solely be that of Swarna Academy of Science;

admission to NRI/ Foreign Nationals/ Children of Indian workers in Gulf Countries/ ration and Fellow Program shall be strictly within the limit and shall be done on Merit and liability, if any, arise out of the same shall solely be that of Swarna Academy of

H. Kumys

24. That Audited statement of accounts of the Trust/ Society/ Company for the previous year has

been uploaded;

25. That all Faculty and all non-teaching Staff data and all student data of all years and all Course(s), as entered by the Head of the Institution as per the prescribed Format on the Web-Portal are correct;

26. That the hostel facilities of International Standards for NRI/ PIO/ Foreign Nationals/ Children of Indian workers in Gulf Countries/ Collaboration and established an Office and Student Counselor to take care of the issues of such students admitted are provided. Further, their entry and exit shall be adhered to the norms specified under Ministry of External Affairs, Government of India:

27. That the Sports facilities are provided to the students;

28. That the Internal Quality Assurance Cell as per Appendix 6 of the Approval Process Handbook before commencement of the Academic Session 2020-21 in respect of Application ID: 1-9319267303, MVR COLLEGE OF ENGINEERING AND TECHNOLOGY, Paritala, Krishna Dt. A.P is constituted will be constituted;

29. That the following Committees as per Appendix 6 of the Approval Process Handbook before commencement of the Academic Session 2020-21 in respect of Application ID: 1-9319267303, MVR COLLEGE OF ENGINEERING AND TECHNOLOGY, are constituted (in case of

existing Institutions)/ will be constituted (in case of new Technical Institutions); and

i. Establishment of Anti Ragging Committee (As per All India Council for Technical Education notified Regulation for prevention and prohibition of ragging in AICTE approved Technical Institutions vide No. 37-3/ Legal/ AICTE/ 2009 dated 01.07.2009)Approval Process Handbook 2020-21

ii. Establishment of Grievance Redressal Committee in the Institution and Appointment of OMBUDSMAN by the University. (As per All India Council for Technical Education (Establishment of Mechanism for Grievance Redressal) Regulations, 2012, F. No. 37-3/

Lega112012, dated 25.05.2012)

iii. Establishment of Internal Complaint Committee (ICC) (As per Section 4 All India Council for Technical Education (Gender Sensitization, Prevention and Prohibition of Sexual Harassment of Women Employees and Students and Redressal of Grievances in Technical Institutions) Regulations, 2016

iv. Establishment of Committee for SC/ ST (As per the Scheduled Castes and the Scheduled Tribes (Prevention of Atrocities) Act, 1989, No. 33 OF 1989, dated 11.09.1989)

30. That, the Institutions uploaded the Annual Report of ICC in the AICTE Web-Portal.

31. That, the Institution undertakes to submit that all the employments in the Institution shall be as per the norms of the existing Labour Law and the payments shall be as per the provisions of the Minimum Wages Act of State/ Central Government.

M. Srinivasa Babu Secretary and Treasurer, Swarna Academy of Sciences,

D. No: 29-19-68, Dornakal Road, Suryaraopet Vijayawada

Chairman, MVR College of Engineering & Technology DEPONENT



VERIFICATION

I, the above named deponent do hereby verify that the facts stated in the above Affidavit are true to my/our knowledge. No part of the same is false and no material has been concealed there from.

Verified at Vijayawada on this the Twenty Four of April Two Thousand Twenty One.

M. Srinivasa Babu

Secretary and Treasurer,

Swarna Academy of Sciences,

D. No: 29-19-68, Dornakal Road, Suryaraopet Vijayawada

Chairman, MVR College of Engineering & Technology DEPONENT

Solemnly affirmed and signed before me by the deponent on Twenty Four day of April, 2021 at my Office.

Lom has ad Sistla
24-04-2921.

RAM PRASAD SISTLA

M.A., D.L

ADVOCATE & NOTARY

D.Ho: 27-20-40/3, Museum Rozd Governospet, YUJAYAWADA-520002

Krishna Ot., A.P